AHS Monitoring Measures 2021-22 FQ2

Most of the reported case volumes were impacted by COVID-19.

Please use caution when comparing the results from current quarters during the pandemic with the data from previous years under normal operation.

Prepared by Data & Analytics

Monitoring Measures are used internally to help inform some areas of the health system outside the Performance Measures in the AHS Health Plan and Business Plan.



Alberta Health Services

Quarterly Monitoring Measures 2021-22 - FQ2

....

| | Provincial | | | | | | | | | | |
|------------------|--|------------|-------------|------------|-------------|-------------|----------------|-------------|-------------|---------------------|---------------------|
| | | | Fiscal Year | | | | Fiscal Quarter | | | Year t | o Date |
| | | 2018-19 FY | 2019-20 FY | 2020-21 FY | 2020-21 FQ2 | 2020-21 FQ3 | 2020-21 FQ4 | 2021-22 FQ1 | 2021-22 FQ2 | 2020-21 FQ2YTD | 2021-22 FQ2YTE |
| nizati | Childhood Immunization Rate - DTaP-IPV-Hib | 77.7% | 78.6% | 76.4% | 77.0% | 75.1% | 74.8% | 74.3% | 74.8% | 77.8% | 74.5% |
| Immunizati | Childhood Immunization Rate – MMR | 86.5% | 87.9% | 86.4% | 87.2% | 85.9% | 84.6% | 84.0% | 84.4% | 87.4% | 84.2% |
| Primary Care | Family Practice Sensitive Conditions (% of ED visits for FPSC) | 20.5% | 20.7% | 16.9% | 17.5% | 17.7% | 16.2% | 16.1% | 17.5% | 16.9% | 16.8% |
| F.S | Health Link Alberta Calls Answered within Two Minutes | 73.6% | 59.5% | 49.1% | 43.0% | 47.2% | 48.7% | 55.5% | 50.7% | 50.4% | 53.8% |
| | Number of People Placed in Continuing Care | 8,098 | 8,521 | 7,427 | 1,852 | 1,684 | 2,296 | 2,240 | 2,223 | 3,447 | 4,463 |
| ng Car | Persons Waiting in Acute / Subacute Hospital Bed for Placement | 474 | 410 | 422 | 510 | 507 | 422 | 372 | 430 | 510 | 430 |
| Continuing Care | Persons Waiting in Community (home) for Placement | 1,034 | 1,002 | 1,005 | 1,074 | 1,261 | 1,005 | 1,015 | 1,136 | 1,074 | 1,136 |
| ၓိ | Client Average Wait in Acute / Subacute Hospital before Placement (days) | 46 | 36 | 38 | 34 | 43 | 42 | 32 | 32 | 33 | 32 |
| Time | Medical Oncology Access (referral to first consult 90th percentile in weeks) | 6.1 | 7.0 | 5.9 | 5.6 | 5.1 | 5.9 | 5.7 | 6.4 | 6.1 | 6.0 |
| r Wait | Radiation Oncology Access (referral to first consult 90th percentile in weeks) | 6.7 | 7.0 | 5.6 | 5.0 | 4.6 | 6.0 | 6.6 | 6.1 | 5.9 | 6.3 |
| Cancer Wait Time | Radiation Therapy Access (ready to treat to first therapy 90th percentile in weeks) | 2.7 | 2.9 | 2.9 | 2.7 | 2.7 | 2.9 | 3.1 | 2.7 | 2.9 | 2.9 |
| | Acute Care Occupancy (Busiest hospitals) | 96.2% | 95.5% | 89.2% | 91.6% | 91.0% | 91.1% | 91.7% | 92.0% | 87.3% | 91.9% |
| | Hospital Acquired Clostridium difficile Infection Rate (per 10,000 patient days) | 2.5 | 2.6 | 2.6 | 3.0 | 2.7 | 2.5 | 2.2 | 2.3 | 2.7 | 2.2 |
| Care | Hospital Standardized Mortality Ratio (HSMR) | 97 | 98 | 106 | 101 | 115 | 108 | 100 | 107 | 101 | 103 |
| Acute Care | Heart Attack (AMI) in Hospital Mortality within 30 days (risk adjusted)* | 5.7% | 6.5% | 5.3% | 4.3% | 5.8% | 5.8% | 4.7% | NA | 5.2% (20-21 Q1) | 4.7% (21-22 Q1) |
| • | Stroke in Hospital Mortality within 30 days (risk adjusted)* | 12.4% | 12.4% | 12.7% | 11.8% | 13.9% | 13.2% | 11.4% | NA | 11.8% (20-21 Q1) | 11.4% (21-22 Q1) |
| | Medical Readmissions within 30 days (risk adjusted)* | 14.4% | 14.0% | 14.1% | 14.2% | 13.8% | 14.1% | 13.8% | NA | 14.4% (20-21 Q1) | 13.8% (21-22 Q1) |
| | ED Length of Stay (LOS) for Admitted Patients (median in hours at Busiest Sites) | 9.9 | 10.4 | 9.8 | 10.3 | 10.9 | 10.5 | 10.1 | 10.7 | 9.1 | 10.4 |
| | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (All Sites) | 45.4% | 42.9% | 44.3% | 42.4% | 40.5% | 40.7% | 41.7% | 39.1% | 48.0% | 40.4% |
| nent | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (Busiest Sites) | 37.9% | 35.9% | 38.0% | 35.7% | 34.0% | 34.4% | 36.1% | 33.5% | 41.9% | 34.8% |
| Department | ED Length of Stay (LOS) for Discharged Patients (median in hours at Busiest Sites) | 3.4 | 3.7 | 3.5 | 3.5 | 3.5 | 3.7 | 4.0 | 4.2 | 3.4 | 4.1 |
| | ED / UCC Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (All Sites) | 74.4% | 72.2% | 71.8% | 71.6% | 71.5% | 69.1% | 67.0% | 65.6% | 73.1% | 66.3% |
| Emergency | ED Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (Busiest Sites) | 58.7% | 55.1% | 57.5% | 56.6% | 57.1% | 53.8% | 49.6% | 46.8% | 59.5% | 48.1% |
| _ | ED Time to Physician Initial Assessment (median in hours at Busiest Sites) | 1.4 | 1.6 | 1.1 | 1.3 | 1.0 | 1.2 | 1.5 | 1.7 | 1.1 | 1.6 |
| | ED / UCC Patients Left Without Being Seen and Left Against Medical Advice | 4.5% | 5.1% | 4.0% | 4.7% | 3.8% | 3.9% | 5.3% | 7.0% | 4.1% | 6.2% |
| | Cataract Surgery Wait Time (median in weeks) | 16.9 | 18.3 | 18.7 | 26.3 | 17.1 | 14.4 | 11.1 | 9.4 | 26.1 | 10.6 |
| | Cataract Surgery Wait Time (90th percentile in weeks) | 48.0 | 49.3 | 52.9 | 57.2 | 55.6 | 44.5 | 37.9 | 39.1 | 56.6 | 38.4 |
| | Scheduled Coronary Artery Bypass Graft (CABG) Wait Time (median in weeks) | 7.0 | 7.7 | 9.4 | 15.7 | 7.6 | 7.9 | 8.3 | 6.4 | 13.9 | 7.0 |
| | Scheduled Coronary Artery Bypass Graft (CABG) Wait Time (90th percentile in weeks) | 19.4 | 15.2 | 24.8 | 27.1 | 21.9 | 17.5 | 16.8 | 12.6 | 26.8 | 16.1 |
| چَ | Hip Replacement Surgery Wait Time (median in weeks) | 18.9 | 19.3 | 25.1 | 27.1 | 24.6 | 23.0 | 23.0 | 20.4 | 26.7 | 22.1 |
| Surgery | Hip Replacement Surgery Wait Time (90th percentile in weeks) | 38.0 | 39.9 | 54.6 | 55.2 | 55.9 | 54.3 | 56.3 | 55.4 | 54.1 | 56.0 |
| | Knee Replacement Surgery Wait Time (median in weeks) | 19.1 | 21.1 | 29.4 | 31.1 | 28.5 | 27.9 | 27.6 | 24.1 | 30.9 | 26.6 |
| | Knee Replacement Surgery Wait Time (90th percentile in weeks) | 43.7 | 46.9 | 63.1 | 61.4 | 63.1 | 65.1 | 65.9 | 62.6 | 60.4 | 64.6 |
| | Postponements of Scheduled Surgeries due to | 0.3% | 2.4% | 6.5% | 1.4% | 2.1% | 2.4% | 2.1% | 19.3% | 11.3% | 8.9% |
| | System Capacity Hip Fracture Repair within 48 hours of Admission | 91.8% | 89.6% | 89.5% | 88.3% | 89.9% | 87.8% | 90.3% | 87.8% | 90.1% | 89.0% |
| | Child and Youth Mental Health Wait Times (90th | 48.0 | 55.0 | 50.0 | 40.0 | 50.0 | 57.0 | 77.0 | NA | | 77.0 (21-22 Q1) |
| Mental Health | percentile in days)* Child and Youth Mental Health Wait Times | 14.0 | 15.0 | 14.0 | 14.0 | 16.0 | 16.0 | 22.0 | NA NA | | 22.0 (21-22 Q1) |
| | (median in days)* | | .5.0 | | | . 5.0 | . 5.0 | | | (23 21 41) | (- 1 |

 $^{^{\}star}$ Measure reporting is lagged by one quarter



| | Zone 1 South | | | | | | | | | | |
|----------------------|--|------------|-------------|------------|-------------|-------------|----------------|-------------|-------------|---------------------|---------------------|
| | | | Fiscal Year | | | | Fiscal Quarter | | | Year | to Date |
| | | 2018-19 FY | 2019-20 FY | 2020-21 FY | 2020-21 FQ2 | 2020-21 FQ3 | 2020-21 FQ4 | 2021-22 FQ1 | 2021-22 FQ2 | 2020-21 FQ2YTD | 2021-22 FQ2YTD |
| nizatio. | Childhood Immunization Rate - DTaP-IPV-Hib | 69.8% | 69.2% | 65.6% | 70.1% | 61.3% | 63.2% | 69.9% | 60.9% | 68.8% | 65.5% |
| <u> </u> | Childhood Immunization Rate – MMR | 82.0% | 80.5% | 79.6% | 82.7% | 76.4% | 78.5% | 78.5% | 71.9% | 81.6% | 75.2% |
| Primar Immunizatio. | Family Practice Sensitive Conditions (% of ED visits for FPSC) | 22.3% | 22.8% | 19.0% | 20.0% | 19.4% | 17.6% | 17.4% | 19.9% | 19.4% | 18.7% |
| | Number of People Placed in Continuing Care | 908 | 870 | 947 | 215 | 245 | 273 | 264 | 224 | 429 | 488 |
| ng Car | Persons Waiting in Acute / Subacute Hospital Bed for Placement | 65 | 21 | 23 | 15 | 26 | 23 | 16 | 11 | 15 | 11 |
| Continuing Care | Persons Waiting in Community (home) for Placement | 128 | 127 | 152 | 154 | 176 | 152 | 156 | 182 | 154 | 182 |
| Ö | Client Average Wait in Acute / Subacute Hospital before Placement (days) | 64 | 71 | 53 | 40 | 52 | 65 | 43 | 56 | 47 | 49 |
| Time | Medical Oncology Access (referral to first consult 90th percentile in weeks) | 5.1 | 5.9 | 5.9 | 5.5 | 5.7 | 5.9 | 6.1 | 6.3 | 5.7 | 6.1 |
| Cancer Wait Time | Radiation Oncology Access (referral to first consult 90th percentile in weeks) | 4.6 | 5.3 | 4.8 | 5.4 | 4.1 | 5.8 | 5.0 | 6.7 | 4.9 | 6.3 |
| Cance | Radiation Therapy Access (ready to treat to first therapy 90th percentile in weeks) | 0.9 | 1.0 | 0.9 | 0.9 | 0.7 | 0.9 | 1.0 | 1.0 | 0.9 | 1.0 |
| | Acute Care Occupancy (Busiest hospitals) | 89.9% | 87.7% | 82.0% | 84.8% | 83.9% | 81.6% | 78.1% | 78.3% | 81.1% | 78.2% |
| | Hospital Acquired Clostridium difficile Infection Rate (per 10,000 patient days) | 2.2 | 2.6 | 3.2 | 3.6 | 4.1 | 2.3 | 2.3 | 2.0 | 3.2 | 2.2 |
| Care | Hospital Standardized Mortality Ratio (HSMR) | 107 | 103 | 115 | 119 | 109 | 104 | 113 | 120 | 124 | 117 |
| Acute Care | Heart Attack (AMI) in Hospital Mortality within 30 days (risk adjusted)* | 7.4% | 6.5% | 5.6% | 4.7% | 5.7% | 7.8% | 6.3% | NA | 3.2% (20-21 Q1) | 6.3% (21-22 Q1) |
| | Stroke in Hospital Mortality within 30 days (risk adjusted)* | 13.3% | 11.8% | 13.7% | 21.3% | 9.8% | 7.1% | 7.3% | NA | 17.3% (20-21 Q1) | 7.3% (21-22 Q1) |
| | Medical Readmissions within 30 days (risk adjusted)* | 13.5% | 13.3% | 13.4% | 12.7% | 14.0% | 12.8% | 13.8% | NA | 14.2% (20-21 Q1) | 13.8% (21-22 Q1) |
| - | ED Length of Stay (LOS) for Admitted Patients (median in hours at Busiest Sites) | 6.6 | 6.5 | 6.6 | 6.9 | 6.8 | 6.7 | 6.4 | 6.8 | 6.5 | 6.6 |
| | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (All Sites) | 68.1% | 68.3% | 67.8% | 65.0% | 65.2% | 66.8% | 69.2% | 65.4% | 69.6% | 67.2% |
| nent | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (Busiest Sites) | 63.8% | 65.0% | 64.5% | 61.3% | 61.7% | 63.2% | 67.4% | 62.5% | 66.5% | 64.8% |
| Emergency Department | ED Length of Stay (LOS) for Discharged Patients (median in hours at Busiest Sites) | 2.3 | 2.4 | 2.3 | 2.3 | 2.3 | 2.4 | 2.4 | 2.7 | 2.2 | 2.6 |
| gency | ED / UCC Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (All Sites) | 85.7% | 85.1% | 84.2% | 84.1% | 84.2% | 82.9% | 82.8% | 80.8% | 84.8% | 81.7% |
| Emer | ED Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (Busiest Sites) | 81.3% | 81.4% | 81.3% | 80.8% | 81.2% | 79.9% | 79.9% | 76.2% | 82.1% | 78.0% |
| | ED Time to Physician Initial Assessment (median in hours at Busiest Sites) | 0.9 | 1.0 | 0.8 | 0.9 | 0.8 | 0.8 | 0.9 | 1.2 | 0.8 | 1.0 |
| | ED / UCC Patients Left Without Being Seen and Left Against Medical Advice | 2.8% | 3.1% | 2.6% | 3.3% | 2.2% | 2.3% | 2.8% | 4.0% | 2.9% | 3.5% |
| | Cataract Surgery Wait Time (median in weeks) | 13.9 | 15.1 | 23.6 | 26.8 | 22.6 | 17.9 | 12.0 | 13.6 | 26.1 | 12.7 |
| | Cataract Surgery Wait Time (90th percentile in weeks) | 24.1 | 25.9 | 40.1 | 39.7 | 40.0 | 42.1 | 39.0 | 39.9 | 39.1 | 39.1 |
| | Hip Replacement Surgery Wait Time (median in weeks) | 25.7 | 25.0 | 34.1 | 38.6 | 34.4 | 30.6 | 21.4 | 15.0 | 36.1 | 16.3 |
| ery | Hip Replacement Surgery Wait Time (90th percentile in weeks) | 48.5 | 51.8 | 69.4 | 69.3 | 67.4 | 71.1 | 79.1 | 67.6 | 69.3 | 75.4 |
| Surgery | Knee Replacement Surgery Wait Time (median in weeks) | 25.0 | 26.7 | 36.9 | 36.3 | 45.4 | 30.9 | 25.6 | 17.6 | 36.9 | 21.4 |
| | Knee Replacement Surgery Wait Time (90th percentile in weeks) | 55.3 | 56.7 | 71.1 | 70.3 | 73.8 | 69.9 | 68.9 | 62.3 | 70.1 | 67.9 |
| | Postponements of Scheduled Surgeries due to System Capacity | 0.1% | 4.0% | 5.2% | 0.0% | 1.7% | 0.6% | 1.9% | 18.6% | 10.6% | 9.5% |
| | Hip Fracture Repair within 48 hours of Admission | 87.8% | 86.8% | 89.0% | 91.6% | 93.3% | 83.7% | 92.0% | 89.3% | 89.3% | 90.6% |
| lealth | Child and Youth Mental Health Wait Times (90th percentile in days)* | 38.0 | 42.0 | 49.0 | 42.0 | 58.0 | 54.0 | 43.0 | NA | 42.0 (20-21 Q1) | 43.0 (21-22 Q1) |
| Mental Health | Child and Youth Mental Health Wait Times (median in days)* | 17.0 | 11.0 | 16.0 | 15.0 | 21.0 | 20.0 | 21.0 | NA | 7.0 (20-21 Q1) | 21.0 (21-22 Q1) |
| Ž | (mediali ili days) | | | | | | | | | | |

 $^{^{\}star}$ Measure reporting is lagged by one quarter



| | Zone 2 Calgary | | | | | | | | | | |
|------------------|--|------------|-------------|------------|-------------|-------------|----------------|-------------|-------------|---------------------|---------------------|
| | | | Fiscal Year | | | | Fiscal Quarter | | | Year t | o Date |
| | | 2018-19 FY | 2019-20 FY | 2020-21 FY | 2020-21 FQ2 | 2020-21 FQ3 | 2020-21 FQ4 | 2021-22 FQ1 | 2021-22 FQ2 | 2020-21 FQ2YTD | 2021-22 FQ2YTD |
| Immunizati. | Childhood Immunization Rate - DTaP-IPV-Hib | 81.0% | 82.3% | 80.3% | 81.0% | 78.6% | 78.9% | 79.0% | 80.9% | 81.8% | 80.0% |
| <u> </u> | Childhood Immunization Rate – MMR | 88.6% | 90.0% | 88.8% | 89.4% | 88.5% | 87.3% | 86.5% | 88.1% | 89.5% | 87.3% |
| Prima ry Ca | Family Practice Sensitive Conditions (% of ED visits for FPSC) | 14.0% | 14.7% | 12.1% | 12.4% | 12.6% | 11.8% | 11.8% | 13.0% | 12.1% | 12.5% |
| e | Number of People Placed in Continuing Care | 2,668 | 2,757 | 2,399 | 644 | 527 | 729 | 714 | 683 | 1,143 | 1,397 |
| ing Ca | Persons Waiting in Acute / Subacute Hospital Bed for Placement | 109 | 140 | 125 | 122 | 142 | 125 | 86 | 169 | 122 | 169 |
| Continuing Care | Persons Waiting in Community (home) for Placement | 405 | 462 | 469 | 490 | 537 | 469 | 472 | 517 | 490 | 517 |
| o | Client Average Wait in Acute / Subacute Hospital before Placement (days) | 42 | 29 | 34 | 33 | 33 | 37 | 29 | 32 | 33 | 30 |
| Time | Medical Oncology Access (referral to first consult 90th percentile in weeks) | 5.9 | 6.3 | 5.1 | 4.6 | 4.7 | 5.4 | 5.1 | 5.7 | 5.6 | 5.4 |
| Cancer Wait Time | Radiation Oncology Access (referral to first consult 90th percentile in weeks) | 6.3 | 7.6 | 5.5 | 5.0 | 4.9 | 6.0 | 5.9 | 6.1 | 5.4 | 6.0 |
| Cance | Radiation Therapy Access (ready to treat to first therapy 90th percentile in weeks) | 2.9 | 2.6 | 2.6 | 2.6 | 2.6 | 2.6 | 2.4 | 2.6 | 2.6 | 2.6 |
| | Acute Care Occupancy (Busiest hospitals) | 98.5% | 98.3% | 90.8% | 93.3% | 94.0% | 95.1% | 94.8% | 95.3% | 87.1% | 95.1% |
| | Hospital Acquired Clostridium difficile Infection Rate (per 10,000 patient days) | 3.0 | 3.0 | 3.1 | 3.5 | 2.9 | 2.9 | 2.9 | 3.0 | 3.3 | 2.9 |
| Care | Hospital Standardized Mortality Ratio (HSMR) | 91 | 95 | 101 | 98 | 113 | 104 | 95 | 99 | 94 | 97 |
| Acute | Heart Attack (AMI) in Hospital Mortality within 30 days (risk adjusted)* | 4.8% | 6.4% | 6.3% | 6.0% | 7.4% | 5.0% | 3.1% | NA | 7.0% (20-21 Q1) | 3.1% (21-22 Q1) |
| | Stroke in Hospital Mortality within 30 days (risk adjusted)* | 11.4% | 10.8% | 10.2% | 8.8% | 10.7% | 11.3% | 9.7% | NA | 9.9% (20-21 Q1) | 9.7% (21-22 Q1) |
| | Medical Readmissions within 30 days (risk adjusted)* | 13.3% | 13.4% | 13.6% | 13.8% | 12.7% | 14.1% | 13.7% | NA | 13.7% (20-21 Q1) | 13.7% (21-22 Q1) |
| | ED Length of Stay (LOS) for Admitted Patients (median in hours at Busiest Sites) | 9.7 | 10.3 | 9.6 | 9.9 | 10.9 | 10.7 | 10.3 | 10.7 | 8.6 | 10.5 |
| | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (All Sites) | 38.6% | 36.1% | 39.5% | 36.9% | 34.6% | 33.7% | 34.3% | 33.0% | 45.0% | 33.6% |
| ment | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (Busiest Sites) | 37.7% | 35.1% | 38.5% | 35.9% | 33.3% | 32.5% | 33.2% | 31.7% | 44.1% | 32.4% |
| Department | ED Length of Stay (LOS) for Discharged Patients (median in hours at Busiest Sites) | 3.6 | 3.9 | 3.6 | 3.8 | 3.5 | 3.9 | 4.2 | 4.4 | 3.5 | 4.3 |
| Emergency | ED / UCC Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (All Sites) | 71.6% | 69.2% | 71.0% | 69.9% | 72.0% | 68.3% | 65.5% | 63.1% | 71.9% | 64.3% |
| Emer | ED Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (Busiest Sites) | 56.5% | 52.2% | 56.3% | 54.0% | 57.7% | 51.9% | 47.5% | 43.6% | 57.8% | 45.5% |
| | ED Time to Physician Initial Assessment (median in hours at Busiest Sites) | 1.5 | 1.7 | 1.1 | 1.4 | 1.0 | 1.3 | 1.6 | 1.9 | 1.2 | 1.8 |
| | ED / UCC Patients Left Without Being Seen and Left Against Medical Advice | 3.5% | 4.1% | 2.6% | 3.2% | 2.2% | 2.7% | 3.9% | 5.6% | 2.7% | 4.7% |
| | Cataract Surgery Wait Time (median in weeks) | 20.7 | 20.4 | 15.4 | 23.7 | 14.4 | 11.7 | 8.1 | 6.4 | 24.6 | 7.1 |
| | Cataract Surgery Wait Time (90th percentile in weeks) | 66.9 | 61.0 | 58.4 | 64.1 | 63.7 | 47.7 | 36.1 | 24.4 | 64.6 | 32.9 |
| | Scheduled Coronary Artery Bypass Graft (CABG) Wait Time (median in weeks) | 15.6 | 13.2 | 9.6 | 23.0 | 8.0 | 6.8 | 7.0 | 7.0 | 23.0 | 7.0 |
| | Scheduled Coronary Artery Bypass Graft (CABG) Wait Time (90th percentile in weeks) | 23.9 | 16.5 | 26.9 | 31.7 | 23.2 | 9.3 | 14.2 | 10.5 | 31.7 | 13.3 |
| ery | Hip Replacement Surgery Wait Time (median in weeks) | 16.1 | 16.6 | 24.0 | 26.6 | 25.2 | 20.6 | 21.9 | 21.1 | 26.1 | 21.4 |
| Surgery | Hip Replacement Surgery Wait Time (90th percentile in weeks) | 33.1 | 38.1 | 55.6 | 59.9 | 57.9 | 48.8 | 61.2 | 58.6 | 57.1 | 60.3 |
| | Knee Replacement Surgery Wait Time (median in weeks) | 16.1 | 17.3 | 26.0 | 27.0 | 26.3 | 21.9 | 22.3 | 22.2 | 26.7 | 22.3 |
| | Knee Replacement Surgery Wait Time (90th percentile in weeks) | 38.1 | 50.8 | 65.9 | 65.1 | 67.1 | 68.5 | 75.1 | 76.4 | 64.1 | 76.0 |
| | Postponements of Scheduled Surgeries due to System Capacity | 0.2% | 3.0% | 10.6% | 0.7% | 0.6% | 4.0% | 3.5% | 31.6% | 19.1% | 14.4% |
| | Hip Fracture Repair within 48 hours of Admission | 90.6% | 87.9% | 88.6% | 88.8% | 88.3% | 86.4% | 89.0% | 87.6% | 90.0% | 88.3% |
| 를 | Child and Youth Mental Health Wait Times (90th percentile in days)* | 36.0 | 39.0 | 27.0 | 26.0 | 23.0 | 27.0 | 56.0 | NA | 40.0 (20-21 Q1) | 56.0 (21-22 Q1) |
| Mental Health | Child and Youth Mental Health Wait Times (median in days)* | 12.0 | 13.0 | 11.0 | 11.0 | 11.0 | 11.0 | 13.0 | NA | 11.0 (20-21 Q1) | 13.0 (21-22 Q1) |

 $^{^{\}star}$ Measure reporting is lagged by one quarter



Most of the reported case volumes continue to be impacted by COVID-19. Please use caution when comparing results from the quarters during the pandemic with data from the previous years under normal operation.

Zone 3 Central Fiscal Year Fiscal Quarte Year to Date 2018-19 FY 2019-20 FY 2020-21 FQ2 2020-21 FQ3 2020-21 FQ4 2020-21 FQ2YTD 2021-22 FQ2YTD 2020-21 FY 2021-22 FQ1 2021-22 FQ2 Childhood Immunization Rate - DTaP-IPV-Hib 71.9% 70.2% 65.2% Childhood Immunization Rate - MMR 83.8% 86.0% 83.3% 82.1% 83.1% 80.4% 79.9% 78.8% 84.6% 79.4% Family Practice Sensitive Conditions (% of ED visits for FPSC) 27.1% 22.4% 23.4% 21.8% 22.1% Number of People Placed in Continuing Care 1,156 287 279 312 333 335 565 Persons Waiting in Acute / Subacute Hospital Bed for Placement 82 88 126 139 126 103 114 133 114 Persons Waiting in Community (home) for Placement 124 101 103 124 101 102 103 Client Average Wait in Acute / Subacute Hospital before Placement (days) 48 42 47 56 56 50 53 46 41 50 Medical Oncology Access (referral to first consult 90th percentile in weeks) Time 6.1 4.3 6.4 6.3 6.8 6.4 Nait Radiation Oncology Access (referral to first consult 90th percentile in weeks) 5.9 8.0 5.6 5.4 8.8 7.9 9.3 6.0 8.9 5.6 Cance Radiation Therapy Access (ready to treat to first therapy 90th percentile in weeks) 2.3 3.0 2.3 2.4 2.1 2.0 2.6 2.6 2.4 2.6 Acute Care Occupancy (Busiest hospitals) 97.5% 93.4% 85.0% 85.7% 86.9% 85.6% 84.3% 85.3% 83.6% 84.8% Hospital Acquired Clostridium difficile Infection Rate (per 10,000 patient days) 1.8 1.6 2.0 Hospital Standardized Mortality Ratio (HSMR) 97 93 99 83 110 95 94 101 94 97 Heart Attack (AMI) in Hospital Mortality within 30 days (risk adjusted)* 6.7% 5.4% 4.3% 1.2% 6.0% 3.7% 4.0% 5.8% (20-21 Q1) 4.0% (21-22 Q1) Stroke in Hospital Mortality within 30 days (risk 14.3% (20-21 Q1) 10.7% 8.7% 9.7% 4.2% 12.7% 7.8% 5.3% NA 5.3% (21-22 Q1) adjusted)* Medical Readmissions within 30 days (risk 14.7% (20-21 Q1) 14.4% (21-22 Q1) 15.5% 15.1% 14.9% 13.9% 15.4% 15.7% 14.4% NA ED Length of Stay (LOS) for Admitted Patients (median in hours at Busiest Sites) 11.6 10.0 9.1 9.2 9.8 10.0 9.0 10.4 8.4 9.6 ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (All Sites) 60.3% 60.0% 60.8% 60.8% 58.2% 57.7% 60.6% 54.1% 63.8% 57.4% ED Patients Treated and Admitted to Hospital 36.7% 40.5% 42.8% 40.4% 43.8% 46.9% 40.9% 43.0% 38.1% 38.1% within 8 hours (LOS <= 8 Hours) (Busiest Sites) ED Length of Stay (LOS) for Discharged Patients (median in hours at Busiest Sites) 3.5 3.6 3.4 3.4 3.4 3.5 3.8 4.1 3.4 4.0 ED / UCC Patients Treated and Discharged within 83.2% 82.0% 80.0% 80.5% 79.8% 78.5% 78.6% 76.9% 80.8% 77.7% 4 hours (LOS <= 4 Hours) (All Sites) ED Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (Busiest Sites) 58.4% 56.8% 58.2% 58.1% 58.2% 56.1% 52.2% 49.0% 59.3% 50.6% ED Time to Physician Initial Assessment (median 1.3 1.3 1.0 1.1 1.0 1.0 1.3 1.5 1.0 1.4 in hours at Busiest Sites) ED / UCC Patients Left Without Being Seen and Left Against Medical Advice 3.7% 3.0% 3.6% 3.0% 2.8% 3.8% 5.3% 3.2% 4.6% 3.8% 33.0 27.7 28.1 36.3 Cataract Surgery Wait Time (median in weeks) Cataract Surgery Wait Time (90th percentile in 53.7 32.0 41.0 53.1 56.8 49.3 44.6 46.6 45.7 Hip Replacement Surgery Wait Time (median in 18.0 13.6 13.0 20.0 16.6 13.0 17.0 14.9 Hip Replacement Surgery Wait Time (90th 37.0 48.6 50.8 46.4 42.7 35.6 32.3 49.9 34.3 35.0 percentile in weeks) Knee Replacement Surgery Wait Time (median in 22.4 17.3 21.6 26.6 14.3 22.9 18.6 13.7 26.1 16.5

percentile in weeks)

Knee Replacement Surgery Wait Time (90th

Postponements of Scheduled Surgeries due to System Capacity

Hip Fracture Repair within 48 hours of Admission

Child and Youth Mental Health Wait Times (90th percentile in days)*

Child and Youth Mental Health Wait Times (median in days)*

39.4

0.4%

96.4%

41.0

12.0

41.6

3.6%

95.8%

54.0

14.0

53.7

9.4%

96.4%

43.0

12.0

55.0

0.1%

96.5%

34.0

11.0

47.0

0.0%

97.4%

52.0

13.0

54.7

0.1%

93.5%

46.0

14.0

37.2

0.2%

92.8%

42.0

15.0

37.5

19.4%

93.5%

NA

54.6

21.1%

97.4%

37.0 (20-21 Q1) 42.0 (21-22 Q1)

7.0 (20-21 Q1) 15.0 (21-22 Q1)

37.6

6.8%

93.2%

^{*} Measure reporting is lagged by one quarter



| | Zone 4 Edmonton | | | | | | | | | | |
|-------------------|--|------------|-------------|------------|-------------|-------------|----------------|-------------|-------------|---------------------|--------------------|
| | | | Fiscal Year | | | | Fiscal Quarter | | | | o Date |
| | | 2018-19 FY | 2019-20 FY | 2020-21 FY | 2020-21 FQ2 | 2020-21 FQ3 | 2020-21 FQ4 | 2021-22 FQ1 | 2021-22 FQ2 | 2020-21 FQ2YTD | 2021-22 FQ2YT |
| IIIIII IIII Tani | Childhood Immunization Rate - DTaP-IPV-Hib | 80.5% | 81.7% | 80.7% | 81.4% | 80.7% | 78.3% | 77.5% | 79.0% | 81.8% | 78.2% |
| Ļ | Childhood Immunization Rate – MMR | 88.7% | 90.3% | 89.4% | 90.6% | 88.8% | 87.7% | 87.4% | 87.7% | 90.4% | 87.5% |
| ry Ca. | Family Practice Sensitive Conditions (% of ED visits for FPSC) | 11.8% | 11.9% | 8.8% | 9.2% | 8.7% | 8.3% | 9.1% | 10.1% | 9.2% | 9.6% |
| 2 | Number of People Placed in Continuing Care | 2,525 | 2,685 | 2,231 | 569 | 446 | 788 | 731 | 762 | 997 | 1,493 |
| 5 | Persons Waiting in Acute / Subacute Hospital Bed for Placement | 129 | 104 | 103 | 188 | 159 | 103 | 115 | 95 | 188 | 95 |
| College Branch | Persons Waiting in Community (home) for Placement | 361 | 219 | 193 | 237 | 327 | 193 | 181 | 232 | 237 | 232 |
| 5 | Client Average Wait in Acute / Subacute Hospital before Placement (days) | 36 | 25 | 32 | 25 | 41 | 37 | 24 | 19 | 25 | 21 |
| 2 | Medical Oncology Access (referral to first consult 90th percentile in weeks) | 6.9 | 7.9 | 6.6 | 6.0 | 5.7 | 6.1 | 6.1 | 7.1 | 7.0 | 6.6 |
| Cancel wait illie | Radiation Oncology Access (referral to first consult 90th percentile in weeks) | 7.3 | 7.0 | 5.3 | 5.0 | 4.0 | 5.1 | 7.0 | 5.7 | 5.9 | 6.2 |
| S | Radiation Therapy Access (ready to treat to first therapy 90th percentile in weeks) | 2.6 | 3.1 | 3.0 | 3.0 | 3.0 | 3.0 | 3.4 | 2.8 | 3.1 | 3.1 |
| | Acute Care Occupancy (Busiest hospitals) | 96.0% | 95.4% | 90.7% | 93.2% | 91.5% | 90.8% | 92.4% | 92.8% | 90.2% | 92.6% |
| | Hospital Acquired Clostridium difficile Infection Rate (per 10,000 patient days) | 3.0 | 2.8 | 2.7 | 3.4 | 2.7 | 2.6 | 1.8 | 2.2 | 2.8 | 2.0 |
| 8 | Hospital Standardized Mortality Ratio (HSMR) | 103 | 102 | 111 | 106 | 119 | 114 | 104 | 110 | 106 | 107 |
| Acute care | Heart Attack (AMI) in Hospital Mortality within 30 days (risk adjusted)* | 6.2% | 6.2% | 4.5% | 3.1% | 4.8% | 6.2% | 6.1% | NA | 4.0% (20-21 Q1) | 6.1% (21-22 C |
| | Stroke in Hospital Mortality within 30 days (risk adjusted)* | 13.6% | 14.8% | 16.5% | 16.0% | 18.8% | 17.7% | 13.1% | NA | 13.3% (20-21 Q1) | 13.1% (21-2 Q1) |
| | Medical Readmissions within 30 days (risk adjusted)* | 14.7% | 13.9% | 14.0% | 14.2% | 13.8% | 13.8% | 13.2% | NA | 14.3% (20-21 Q1) | 13.2% (21-2 Q1) |
| | ED Length of Stay (LOS) for Admitted Patients (median in hours at Busiest Sites) | 11.3 | 12.1 | 11.5 | 12.3 | 12.7 | 11.8 | 11.2 | 12.1 | 10.8 | 11.6 |
| | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (All Sites) | 31.7% | 29.2% | 30.0% | 27.0% | 26.6% | 28.8% | 31.2% | 27.8% | 32.2% | 29.5% |
| | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (Busiest Sites) | 31.2% | 29.0% | 30.2% | 27.8% | 26.8% | 29.0% | 31.6% | 28.2% | 32.4% | 29.9% |
| Department | ED Length of Stay (LOS) for Discharged Patients (median in hours at Busiest Sites) | 4.1 | 4.4 | 4.4 | 4.5 | 4.6 | 4.7 | 4.9 | 5.2 | 4.1 | 5.1 |
| | ED / UCC Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (All Sites) | 56.1% | 51.9% | 50.7% | 49.9% | 48.0% | 46.9% | 43.6% | 41.1% | 53.8% | 42.3% |
| | ED Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (Busiest Sites) | 48.6% | 44.0% | 45.1% | 44.2% | 42.4% | 41.0% | 37.2% | 34.0% | 48.3% | 35.6% |
| | ED Time to Physician Initial Assessment (median in hours at Busiest Sites) | 1.7 | 1.9 | 1.3 | 1.6 | 1.4 | 1.4 | 1.8 | 2.0 | 1.3 | 1.9 |
| | ED / UCC Patients Left Without Being Seen and Left Against Medical Advice | 7.4% | 8.6% | 7.0% | 8.5% | 7.3% | 6.5% | 8.6% | 11.4% | 7.1% | 10.0% |
| | Cataract Surgery Wait Time (median in weeks) | 15.3 | 16.9 | 18.4 | 27.7 | 16.4 | 14.7 | 11.9 | 10.0 | 26.3 | 11.0 |
| | Cataract Surgery Wait Time (90th percentile in weeks) | 42.5 | 42.0 | 52.5 | 58.6 | 54.9 | 41.5 | 36.7 | 38.2 | 56.3 | 37.0 |
| | Scheduled Coronary Artery Bypass Graft (CABG) Wait Time (median in weeks) | 3.5 | 3.6 | 9.0 | 8.6 | 6.7 | 13.6 | 9.6 | 5.7 | 9.4 | 7.1 |
| | Scheduled Coronary Artery Bypass Graft (CABG) Wait Time (90th percentile in weeks) | 6.9 | 8.1 | 20.7 | 22.3 | 12.5 | 18.8 | 18.2 | 13.0 | 22.4 | 16.9 |
| <u>.</u> | Hip Replacement Surgery Wait Time (median in weeks) | 21.6 | 21.7 | 27.9 | 28.7 | 26.7 | 32.9 | 27.0 | 24.4 | 27.7 | 26.0 |
| Saugery | Hip Replacement Surgery Wait Time (90th percentile in weeks) | 36.8 | 35.6 | 48.1 | 48.7 | 45.9 | 52.4 | 51.0 | 51.1 | 47.1 | 51.1 |
| | Knee Replacement Surgery Wait Time (median in weeks) | 21.1 | 23.9 | 35.7 | 36.1 | 31.5 | 39.0 | 35.8 | 34.4 | 35.7 | 35.0 |
| | Knee Replacement Surgery Wait Time (90th percentile in weeks) | 40.4 | 37.6 | 50.8 | 51.5 | 48.6 | 54.4 | 54.1 | 57.1 | 50.0 | 55.1 |
| | Postponements of Scheduled Surgeries due to System Capacity | 0.3% | 1.4% | 2.9% | 2.4% | 4.2% | 1.4% | 1.0% | 8.8% | 3.0% | 3.7% |
| | Hip Fracture Repair within 48 hours of Admission | 92.9% | 90.1% | 88.1% | 84.0% | 88.4% | 88.4% | 90.1% | 85.3% | 87.8% | 87.6% |
| <u>.</u> | Child and Youth Mental Health Wait Times (90th percentile in days)* | 56.0 | 62.0 | 59.0 | 42.0 | 54.0 | 70.0 | 91.0 | NA | 58.0 (20-21 Q1) | 91.0 (21-22 C |
| æ | percentile in days)* Child and Youth Mental Health Wait Times | 16.0 | 27.0 | 28.0 | 21.0 | 32.0 | 48.0 | 66.0 | NA | 16.0 (20-21 Q1) | 66.0 (21-22 Q |

 $^{^{\}star}$ Measure reporting is lagged by one quarter



| | Zone 5 North | | | | | | | | | | |
|---------------------------------|--|------------|-------------|------------|-------------|-------------|----------------|-------------|-------------|---------------------|---------------------|
| | | | Fiscal Year | | | | Fiscal Quarter | | | Year t | o Date |
| | | 2018-19 FY | 2019-20 FY | 2020-21 FY | 2020-21 FQ2 | 2020-21 FQ3 | 2020-21 FQ4 | 2021-22 FQ1 | 2021-22 FQ2 | 2020-21 FQ2YTD | 2021-22 FQ2YTD |
| nizatio | Childhood Immunization Rate - DTaP-IPV-Hib | 69.6% | 70.4% | 65.0% | 63.4% | 61.8% | 65.5% | 62.6% | 59.4% | 66.3% | 61.0% |
| Primar y Care Immunizatio | Childhood Immunization Rate – MMR | 79.3% | 81.4% | 77.9% | 78.9% | 77.3% | 75.4% | 75.2% | 75.7% | 79.3% | 75.5% |
| Primar y Care | Family Practice Sensitive Conditions (% of ED visits for FPSC) | 33.0% | 33.0% | 29.0% | 29.4% | 30.7% | 27.9% | 26.8% | 28.2% | 28.6% | 27.6% |
| ø | Number of People Placed in Continuing Care | 685 | 741 | 694 | 137 | 187 | 194 | 198 | 219 | 313 | 417 |
| ing Care | Persons Waiting in Acute / Subacute Hospital Bed for Placement | 89 | 57 | 45 | 52 | 41 | 45 | 52 | 41 | 52 | 41 |
| Continuing | Persons Waiting in Community (home) for Placement | 65 | 70 | 90 | 90 | 97 | 90 | 104 | 107 | 90 | 107 |
| 0 | Client Average Wait in Acute / Subacute Hospital before Placement (days) | 79 | 66 | 46 | 35 | 49 | 55 | 35 | 48 | 40 | 42 |
| r Wait | Medical Oncology Access (referral to first consult 90th percentile in weeks) | 4.1 | 4.9 | 5.4 | 5.1 | 5.1 | 6.1 | 6.9 | 6.2 | 4.9 | 6.9 |
| Cancer Wait Time | Radiation Oncology Access (referral to first consult 90th percentile in weeks) | 7.1 | 9.3 | 8.5 | 11.6 | 6.3 | 5.1 | 7.1 | 5.2 | 11.2 | 5.9 |
| | Acute Care Occupancy (Busiest hospitals) | 86.7% | 86.9% | 79.0% | 81.1% | 78.1% | 81.4% | 92.3% | 89.3% | 78.2% | 90.8% |
| | Hospital Acquired Clostridium difficile Infection Rate (per 10,000 patient days) | 1.1 | 1.8 | 1.4 | 1.2 | 1.5 | 1.8 | 1.1 | 1.6 | 1.1 | 1.3 |
| Care | Hospital Standardized Mortality Ratio (HSMR) | 92 | 97 | 106 | 98 | 113 | 122 | 98 | 121 | 94 | 110 |
| Acute Care | Heart Attack (AMI) in Hospital Mortality within 30 days (risk adjusted)* | 3.4% | 10.1% | 5.3% | 4.0% | 3.9% | 8.5% | 0.0% | NA | 5.1% (20-21 Q1) | 0.0% (21-22 Q1) |
| | Stroke in Hospital Mortality within 30 days (risk adjusted)* | 10.2% | 11.1% | 5.7% | 3.6% | 7.8% | 9.4% | 21.3% | NA | 2.0% (20-21 Q1) | 21.3% (21-22 Q1) |
| | Medical Readmissions within 30 days (risk adjusted)* | 15.3% | 15.5% | 15.6% | 17.1% | 14.5% | 13.8% | 15.9% | NA | 16.7% (20-21 Q1) | 15.9% (21-22 Q1) |
| | ED Length of Stay (LOS) for Admitted Patients (median in hours at Busiest Sites) | 7.4 | 8.3 | 7.9 | 8.4 | 8.4 | 8.5 | 9.0 | 9.3 | 7.4 | 9.1 |
| | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (All Sites) | 72.6% | 68.4% | 69.7% | 68.8% | 67.4% | 64.9% | 61.6% | 61.2% | 72.8% | 61.4% |
| nent | ED Patients Treated and Admitted to Hospital within 8 hours (LOS <= 8 Hours) (Busiest Sites) | 54.2% | 47.8% | 51.0% | 48.1% | 47.4% | 46.3% | 43.4% | 42.9% | 55.1% | 43.2% |
| Emergency Department | ED Length of Stay (LOS) for Discharged Patients (median in hours at Busiest Sites) | 2.0 | 2.2 | 2.0 | 2.0 | 2.1 | 2.2 | 2.6 | 2.5 | 2.0 | 2.6 |
| gency | ED / UCC Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (All Sites) | 88.2% | 86.8% | 85.5% | 86.0% | 85.2% | 83.4% | 81.3% | 81.1% | 86.7% | 81.2% |
| Emer | ED Patients Treated and Discharged within 4 hours (LOS <= 4 Hours) (Busiest Sites) | 81.4% | 78.4% | 79.7% | 80.3% | 78.4% | 77.5% | 69.8% | 71.8% | 81.4% | 70.8% |
| | ED Time to Physician Initial Assessment (median in hours at Busiest Sites) | 0.7 | 0.8 | 0.7 | 0.7 | 0.7 | 0.7 | 0.9 | 0.9 | 0.6 | 0.9 |
| | ED / UCC Patients Left Without Being Seen and Left Against Medical Advice | 3.8% | 4.2% | 3.5% | 4.1% | 3.4% | 3.7% | 5.5% | 6.1% | 3.5% | 5.9% |
| | Cataract Surgery Wait Time (median in weeks) | 10.7 | 13.3 | 9.3 | 7.7 | 8.0 | 9.9 | 9.1 | 12.2 | 10.9 | 11.1 |
| | Cataract Surgery Wait Time (90th percentile in weeks) | 22.0 | 22.9 | 22.7 | 25.9 | 15.9 | 17.9 | 16.9 | 21.7 | 25.9 | 18.9 |
| | Hip Replacement Surgery Wait Time (median in weeks) | 16.9 | 21.9 | 22.1 | 28.3 | 28.0 | 15.1 | 16.1 | 17.7 | 29.1 | 16.9 |
| ery | Hip Replacement Surgery Wait Time (90th percentile in weeks) | 51.6 | 67.8 | 58.7 | 58.6 | 48.9 | 42.5 | 78.0 | 59.2 | 68.1 | 75.6 |
| Surgery | Knee Replacement Surgery Wait Time (median in weeks) | 20.4 | 19.9 | 28.6 | 40.7 | 31.8 | 19.9 | 19.6 | 19.1 | 40.9 | 19.3 |
| | Knee Replacement Surgery Wait Time (90th percentile in weeks) | 53.1 | 75.3 | 93.3 | 104.0 | 76.6 | 91.3 | 106.2 | 71.9 | 102.7 | 98.7 |
| | Postponements of Scheduled Surgeries due to System Capacity | 2.1% | 3.0% | 1.9% | 2.5% | 0.8% | 1.7% | 0.0% | 6.2% | 2.7% | 5.4% |
| | Hip Fracture Repair within 48 hours of Admission | 92.0% | 92.0% | 92.6% | 94.3% | 90.7% | 90.2% | 93.1% | 90.7% | 94.9% | 91.7% |
| lealth | Child and Youth Mental Health Wait Times (90th percentile in days)* | 57.0 | 68.7 | 59.0 | 67.0 | 49.0 | 49.0 | 49.0 | NA | 71.0 (20-21 Q1) | 49.0 (21-22 Q1) |
| Mental Health | Child and Youth Mental Health Wait Times (median in days)* | 14.0 | 13.0 | 11.0 | 13.0 | 12.0 | 11.0 | 14.0 | NA | 8.0 (20-21 Q1) | 14.0 (21-22 Q1) |
| | . , , | | | | | | | | | | |

 $^{^{\}star}$ Measure reporting is lagged by one quarter