Viral Hemorrhagic Fever (Ebola)

Note: PPE Buddy wearing appropriate PPE stays on "clean" side to assist with doffing.

#### 1. REMOVE VISIBLE SOIL FROM PPE



If there is visible soil on PPE:

- HCP will soak up all body fluids with an absorbent product (incontinence pad, etc.) using a blotting action. Immediately discard the product into biomedical waste container.
- Wipe the affected spots of PPE with AHS approved disinfectant wipe and immediately discard wipe into biomedical waste container. Allow PPE to dry.



If gloves become visibly soiled, use AHS approved disinfectant wipe to remove contamination and immediately discard wipe into biomedical waste container. Allow gloves to dry.

### 2. GLOVES



Remove gloves with care.



Drop gloves into biomedical waste container.

Original date: September 2015 Revised date: December 2019



Viral Hemorrhagic Fever (Ebola)

#### 3. APRON



Buddy tears back of apron at neck and unties apron



**HCP** pulls thumb loops loose.



HCP slides hands into apron. Grasps apron at shoulders pulling apron down and away from body folding outer surfaces toward each other.



HCP gently folds apron and drops into biomedical waste container.

#### 4. FACE SHIELD




Do not touch front of face shield.



Bend slightly forward, pull strap gently forward and lift over head and away from face.



Drop face shield into biomedical waste container.





Viral Hemorrhagic Fever (Ebola)

#### 5. FULL-NECK HOOD



**HCP** faces **Buddy** and leans forward.



Buddy grabs back of hood and pulls forward over head and away from face. Discard hood into biomedical waste container.



**Buddy** removes and discards gloves.



**Buddy** performs hand hygiene.

Viral Hemorrhagic Fever (Ebola)

#### 6. COVERALLS



**Buddy** puts on new gloves.



Buddy unsticks flap and Buddy removes and unzips coverall.



discards gloves.



**Buddy** performs hand hygiene.



**Buddy** puts on new gloves.



**HCP** turns back towards Buddy, who is on the clean side. Buddy grasps inside of hood and rolls backwards on itself.



**Buddy** continues to roll coveralls back and down.



**Buddy** rolls coveralls off shoulders. HCP holds arms at side, slightly away from body so **Buddy** can roll coveralls off arms.



**Buddy** continues to roll coveralls down to ankles, being very careful not to touch scrubs.



**HCP** removes and discards inner gloves.



**HCP** perfoms hand hygiene.



**HCP** dons new set of gloves.





Viral Hemorrhagic Fever (Ebola)

#### 6. COVERALLS CONTINUED



HCP sits on chair on contaminated side.
Buddy or HCP pulls off coveralls, one foot at a time. Shoe covers will be removed with the coveralls as one piece.



HCP puts feet on clean side as they are removed from coveralls and stands up. Discards coveralls into biomedical waste container.



**HCP** removes gloves.



**HCP** performs hand hygiene.

#### 7. BOUFFANT HEAD COVER



Pull bouffant head cover backwards off head.



Drop head cover into biomedical waste container.




Original date: September 2015 Revised date: December 2019

Viral Hemorrhagic Fever (Ebola)

#### 8. MASK/N95 RESPIRATOR 8A. MASK



Do not touch front of mask.



Remove personal eye glasses, if wom. Bend slightly forward and remove by grasping loops.

#### **8B. N95 RESPIRATOR**




Remove personal eye glasses, if worn. Bend slightly forward and remove by grasping bottom band.



Remove top band and carefully remove respirator from face.



Drop respirator into biomedical waste container.





# Coverall Doffing Sequence Viral Hemorrhagic Fever (Ebola)

### 9. HAND HYGIENE



Use an alcohol-based hand rub. Put on personal eye glasses.

