Quality Referral Evolution:

A Literature Review with a Focus on Improving the Referral and Consultation Process

Dr. Bruce Fisher Sandra Campbell University of Alberta University of Calgary Alberta Health Services

ABSTRACT

TOPIC – Teaching and learning in medical education.

CONTEXT: Referral and consultation are important parts of medical practice, and skilled, effective communication between primary care physicians and specialists is essential for safe, high-quality referral processes. Unfortunately, substantial evidence suggests that such communication is frequently incomplete or inadequate. This incurs risk of delayed access to care, inadequate follow-up, partial compliance, duplication of services, and patient frustration. To date, few medical education programs offer formal work-based training and assessment for these important communication skills in the referral process.

BACKGROUND: The QuRE WORKING GROUP (QWG) is composed of members of Universities of Calgary and Alberta, and Alberta Health Services. It represents family medicine, surgical and medical subspecialties, the universities' residency programs, and AHS Referral and access management. QWG is developing best evidence-based educational resources for teaching and learning the communication skills needed to provide quality referral and consultation. This includes continuous medical learning workshops eligible for continued education credits.

PURPOSE: Quality Referral Evolution (QuRE) is a collaborative initiative to make education and support for quality consultation education part of the medical education programs in Alberta, as well as for accredited self-study for practicing physicians and surgeons in the province.

OBJECTIVES:

- 1. Understand key concepts of referral/consultation process for best practice
- 2. Use the Quality Referral Pocket Checklist to guide and appraise referral/consultation letters
- 3. Improve communication in the referral/consultation process

CONCLUSION: By doing so, the QuRE program hopes to improve the quality of communication in the referral and consultative process, and, consequently provide better access to care for Albertans.

SELECTED REFERENCE LIST (clustered under themes)

Problems and issues with the referral and consultation process

- 1. (1993). "Relationship between family physicians and specialist/consultants in the provision of patient care. Report of a joint task force of the College of Family Physicians of Canada and the Royal College of Physicians and Surgeons of Canada." Canadian Family Physician 39: 1309-1312.
- 2. Babington, S., et al. (2003). "Oncology service correspondence: do we communicate?" Australasian Radiology 47(1): 50-54.



- 3. Conley, J., et al. (2009). "Audit of the consultation process on general internal medicine services." Quality & Safety in Health Care 18(1): 59-62.
- 4. Cummins, R. O., et al. (1980). "Communication failure in primary care. Failure of consultants to provide follow-up information." JAMA 243(16): 1650-1652.
- 5. DeAngelis, A. F., et al. (2010). "The accuracy of medical history information in referral letters." Australian Dental Journal 55(2): 188-192.
- 6. Dupont, C. (2002). "Quality of referral letters." Lancet 359(9318): 1701.
- 7. Gandhi, T. K., et al. (2000). "Communication breakdown in the outpatient referral process." Journal of General Internal Medicine 15(9): 626-631.
- 8. Garasen, H. and R. Johnsen (2007). "The quality of communication about older patients between hospital physicians and general practitioners: a panel study assessment." BMC Health Services Research 7: 133.
- 9. Grant, I. N. and A. S. Dixon (1987). ""Thank You for Seeing This Patient": Studying the Quality of Communication between Physicians." Canadian Family Physician 33: 605-611.
- 10. Grol, R., et al. (2003). "Communication at the interface: do better referral letters produce better consultant replies?" British Journal of General Practice 53(488): 217-219.
- 11. Lee, T., et al. (1983). "Impact of inter-physician communication on the effectiveness of medical consultations." American Journal of Medicine 74(1): 106-112.
- 12. McPhee, S. J., et al. (1984). "How good is communication between primary care physicians and subspecialty consultants?" Archives of Internal Medicine 144(6): 1265-1268.
- 13. Newton, J., et al. (1994). "Do clinicians tell each other enough? An analysis of referral communications in two specialties." Family practice 11(1): 15-20.
- 14. O'Malley, A. S. and J. D. Reschovsky (2011). "Referral and consultation communication between primary care and specialist physicians: finding common ground." Archives of Internal Medicine 171(1): 56-65.
- 15. Speed, C. A. and A. J. Crisp (2005). "Referrals to hospital-based rheumatology and orthopaedic services: seeking direction." Rheumatology 44(4): 469-471.
- 16. Westerman, R. F., et al. (1990). "A study of communication between general practitioners and specialists." British Journal of General Practice 40(340): 445-449.

Analysis and suggested solutions

- 17. Alexander, T. and S. Bloch (2002). "The written report in consultation-liaison psychiatry: a proposed schema." Australian and New Zealand Journal of Psychiatry 36(2): 251-258.
- Berta, W., et al. (2009). "Enhancing continuity of information: essential components of consultation reports." Canadian Family Physician 55(6): 624-625.e621-625.
- 19. Boulware, D. R., et al. (2010). "Physician Preferences for Elements of Effective Consultations." Journal of General Internal Medicine 25(1): 25-30.
- 20. Ballard, W. P., et al. (1986). "Compliance with the recommendations of medical consultants." Journal of General Internal Medicine 1(4): 220-224
- 21. Cohn, S. L. (2003). "The role of the medical consultant." Medical Clinics of North America 87(1): 1-+.
- 22. Davies P. What do we actually know about the referral process? British Journal of General Practice 2011; 61(593):752-3
- 23. Goldman, L., et al. (1983). "Ten commandments for effective consultations." Archives of Internal Medicine 143(9): 1753-1755.

- 24. Goldman, L., et al. (2001). "Passing the clinical baton: 6 principles to guide the hospitalist." American Journal of Medicine 111: 36-39.
- 25. Gutkin, C. (1996). "Family physicians and specialist-consultants. Ties that bind." Canadian Family Physician 42: 2308.
- 26. Horwitz, R. I., et al. (1983). "Developing strategies for improving the diagnostic and management efficacy of medical consultations." Journal of Chronic Diseases 36(2): 213-218.
- 27. Keely, E., et al. (2002). "Writing effective consultation letters: 12 tips for teachers." Medical teacher 24(6): 585-589.
- 28. Kessler, C., et al. (2012). "Consultation in the emergency department: a qualitative analysis and review." Journal of Emergency Medicine 42(6): 704-711.
- 29. Klein, L. E., et al. (1983). "Effectiveness of medical consultation." Journal of Medical Education 58(2): 149-151.
- 30. Lee, T. H. (2002). "Proving and improving the value of consultations." American Journal of Medicine 113(6): 527-528.
- 31. Marshall, J. B. (1988). "HOW TO MAKE CONSULTATIONS WORK." Postgraduate medicine 84(2): 253-4
- 32. McColl, E., et al. (1994). "An agenda for change in referral--consensus from general practice." British Journal of General Practice 44(381): 157-162.
- Pupa, L. E., Jr., et al. (1986). "Factors affecting compliance for general medicine consultations to non-internists." American Journal of Medicine 81(3): 508-514.
- 34. Salerno, S. M., et al. (2007). "Principles of effective consultation An update for the 21st-century consultant." Archives of Internal Medicine 167(3): 271-275.
- 35. Scott, I. A., et al. (2004). "Audit of consultant physicians' reply letters for referrals to clinics in a tertiary teaching hospital." Internal Medicine Journal 34(1-2): 31-37.
- 36. Sears, C. L. and M. E. Charlson (1983). "The effectiveness of a consultation. Compliance with initial recommendations." American Journal of Medicine 74(5): 870-876.
- Sibert, L., et al. (2002). "Communication between consultants and referring physicians: A qualitative study to define learning and assessment objectives in a specialty residency program." Teaching and Learning in Medicine 14(1): 15-19.
- Stoller, J. K. and R. Striet (2003). "Inpatient consultation: results of a physician survey and a proposed improvement." Journal for Healthcare Quality 25(1): 27-35.
- 39. Thorsen, O., et al. (2013). "The consultants' role in the referring process with general practitioners: partners or adjudicators? a qualitative study." BMC Family Practice 14: 153.
- 40. Venkat, K. K. (2015). "Short and sweet: Writing better consult notes in the era of the electronic medical record." Cleveland Clinic Journal of Medicine 82(1): 13-17.

Interventions

- 41. Braun, T. C., et al. (2003). "Oncologists and family physicians. Using a standardized letter to improve communication." Canadian Family Physician 49: 882-886.
- 42. Esquivel, A., et al. (2012). "Improving the Effectiveness of Electronic Health Record-Based Referral Processes." Bmc Medical Informatics and Decision Making 12.
- 43. Fox, A. T., et al. (2004). "Improving the quality of outpatient clinic letters using the Sheffield Assessment Instrument for Letters (SAIL)." Medical education 38(8): 852-858.
- 44. Francois, J. (2011). "Tool to assess the quality of consultation and referral request letters in family medicine." Canadian Family Physician 57(5): 574-575.
- 45. Go, S., et al. (1998). "Enhancing medical student consultation request skills in an academic emergency department." Journal of Emergency Medicine 16(4): 659-662.

- 46. Harris, M. F., et al. (2002). "Communication across the divide. A trial of structured communication between general practice and emergency departments." Australian Family Physician 31(2): 197-200.
- 47. Jenkins, S., et al. (1997). "Referral letters: are form letters better?" British Journal of General Practice 47(415): 107-108.
- 48. Jiwa, M. and S. Dhaliwal (2012). "Referral Writer: preliminary evidence for the value of comprehensive referral letters." Quality in Primary Care 20(1): 39-45.
- 49. Jiwa, M., et al. (2006). "Implementing referral guidelines: lessons from a negative outcome cluster randomised factorial trial in general practice." BMC Family Practice 7: 65.
- 50. Keely, E., et al. (2007). "Peer assessment of outpatient consultation letters--feasibility and satisfaction." BMC Medical Education 7: 13.
- 51. Kessler, C. S., et al. (2013). "I'm clear, you're clear, we're all clear: improving consultation communication skills in undergraduate medical education." Academic Medicine 88(6): 753-758.
- 52. Kessler, C. S., et al. (2012). "Validity evidence for a new checklist evaluating consultations, the 5Cs model." Academic Medicine 87(10): 1408-1412.
- 53. Montalto, M., et al. (1994). "Impact of general practitioners' referral letters to an emergency department." Australian Family Physician 23(7): 1320-1321.
- 54. Tuot, D. S., et al. (2012). "Enhancing Quality of Trainee-written Consultation Notes." American Journal of Medicine 125(7): 649-652.
- 55. Wright, R., et al. (2009). "A Case-Based Teaching Module Combined with Audit and Feedback to Improve the Quality of Consultations." Journal of Hospital Medicine 4(8): 486-489.
- 56. Xiang, A., et al. (2013). "Impact of a referral management "gateway" on the quality of referral letters; a retrospective time series cross sectional review." BMC Health Services Research 13: 310.

Overviews

57. Mehrotra, A., et al. (2011). "Dropping the baton: specialty referrals in the United States." Milbank Quarterly 89(1): 39-68.