# Artificial Nails in the Healthcare Environment Why We Care!

Wearing artificial nails or nail enhancements is associated with carrying higher amounts of pathogenic bacteria and yeast which can be transmitted to patients and lead to healthcare-associated infections.<sup>1</sup>

Should you have any questions regarding the information in the Hand Hygiene Policy and Procedure please contact the Policy and Forms Department at policy@ahs.ca.

## **Artificial Nails: Hand Hygiene Policy and Procedure**

As per Alberta Health Services <u>Hand Hygiene Policy</u> and <u>Procedure</u> artificial nails and/or nail enhancements, shall not be worn by AHS representatives who provide direct patient care or perform other related tasks that require hand hygiene. Natural nails shall be clean and short; nail polish, if worn, shall be freshly applied and not be chipped."

#### **Evidence**

Studies have demonstrated strong experimental, clinical and epidemiological evidence that artificial nails can contribute to healthcare associated infections, for example:

- A prolonged outbreak of *Pseudomonas aeruginosa* in a neonatal intensive care unit resulted in 16 deaths. Evidence suggested association with exposure to two nurses with a possible link to artificial fingernails.<sup>2</sup>
- A cluster of 5 cases of *Serratia marscescens* bacteremia in hemodialysis patients was linked to a nurse who used an artificial fingernail to open a vial of heparin used to make a flush solution.<sup>3</sup>
- An outbreak of extended-spectrum beta-lactamase-producing (ESBL) Klebsiella pneumoniae in a neonatal ICU was linked to a healthcare provider with artificial nails.<sup>4</sup>
- A cluster of *Candida* osteomyelitis and diskitis infections after spinal surgery was linked to an operating room technician with artificial nails.<sup>5</sup>
- An outbreak of post-operative wound infections caused by Serratia marscescens was linked to a scrub nurse with artificial nails.<sup>6</sup>

## Bacterial growth after hand hygiene

Hand hygiene is effective in removing potentially harmful microorganisms from your hands. However, artificial nails can hinder effectiveness of hand hygiene. Numerous studies have shown that healthcare providers with artificial nails or nail enhancements have a greater amount and diversity of bacteria **both before and after hand hygiene** than healthcare providers with natural nails.<sup>7</sup>







## **Artificial Nails in Healthcare Environment - Why we Care! | 2**

#### References

- 1. Saiman L, et al. Banning artificial nails from healthcare settings. Am J of Infect Control. 2002; 30(4):252-254.
- 2. Moolenaar RL et al. A prolonged outbreak of Pseudomonas aeruginosa in a neonatal intensive care unit: did staff fingernails play a role in disease transmission? Infect Control Hosp Epidemiol. 2000; 21(2):80-5.
- 3. Gordin FM, et al. A cluster of hemodialysis-related bacteremia linked to artificial fingernails. Infect Control and Hosp Epidemiol. 2007; 28:743–744.
- 4. Gupta A, et al. Outbreak of extended-spectrum betalactamase-producing Klebsiella pneumoniae in a neonatal intensive care unit linked to artificial nails. Infect Control and Hosp Epidemiol. 2004; 25:210–215.
- 5. Parry M et al. Candida osteomyelitis and diskitis after spinal surgery: an outbreak that implicates artificial nail use. Clin Infect Dis. 2001; 32:352–357.
- 6. Passaro DJ, et al. Postoperative Serratia marscescens wound infections traced to an out-of-hospital source. J Infect Dis. 1997; 175(4):992-5.
- 7. McNeil SA, Foster CL, Hedderwich SA, Kauffman CA. Effect of hand cleansing with antimicrobial soap or alcohol-based gel on microbial colonization of artificial fingernails worn by healthcare workers. Clin Infect Dis. 2001; 32:326

### Additional literature on artificial nails in healthcare

- 8. Foca M, et al. Endemic Pseudomonas aeruginosa infection in a neonatal intensive care unit. NEJM. 2000; 343:695–700.
- 9. Hedderwick SA, McNeil SA, Lyons MJ, Kauffman CA. Pathogenic organisms associated with artificial fingernails worn by health care workers. Infect Control Hosp Epidemiol. 2000:505-509.
- 10. Moolenaar RL, et al. A prolonged outbreak of Pseudomonas aeruginosa in a neonatal intensive care unit: did staff fingernails play a role in disease transmission? Infect Control Hosp Epidemiol. 2000; 21:80-85.
- 11. Pottinger J, Burns S, Manske C. Bacterial carriage by artificial versus natural nails. Am J of Infect Control. 1989; 17:340–344.



© 2021 Alberta Health Services, IPC

This work is licensed under a <u>Creative Commons Attribution-Non-commercial-Share Alike 4.0 International license</u>. The License does not apply to AHS trademarks, logos or content for which Alberta Health Services is not the copyright owner.

**Disclaimer:** This material is intended for general information only and is provided on an "as is", "where is" basis. Although reasonable efforts were made to confirm the accuracy of the information, Alberta Health Services does not make any representation or warranty, express, implied or statutory, as to the accuracy, reliability, completeness, applicability or fitness for a particular purpose of such information. This material is not a substitute for the advice of a qualified health professional. Alberta Health Services expressly disclaims all liability for the use of these materials, and for any claims, actions, demands or suits arising from such use.



& Control

